New Flagship with nanoe™ X technology

A smart solution specially designed for the tough Nordic climate to keep your home clean, comfortable and welcoming.





FLAGSHIP

FLAGSHIP

A smart solution specially designed for the tough Nordic climate to keep your home clean, comfortable and welcoming.

THE OF ATTEND 7 6-00000X

Panasonic

1

New Flagship: a very welcome addition to your home

The smart, new Flagship now comes with nanoe™ X technology with the benefits of hydroxyl radicals. With advanced control options, class-leading performance, a stylish design and intelligent features, Flagship is designed to make your home comfortable, cleaner and pleasant place to be even in extreme conditions.



Maximum heating capacity of 3,60 kW at -25°C²⁾

- · Exceptional maximum heating capacity even in low outdoor air temperature zones.
- · Top class energy efficiency up to A+++ in heating and cooling

Air Quality

 nanoe[™] X technology with the benefits of hydroxyl radicals · Acts to clean your air, so that the indoor environment can be a cleaner and pleasant place to be all day long

Smart Control

· Integrated built-in

Alexa¹⁾

- Wi-Fi · Advanced control via
- smartphone
- · Compatible with Google Assistant and Amazon

Ultimate comfort

- · Aerowings 2.0, end-toend vanes enhance comfortable heating · Super Quiet ambient

New Design

- · Stylish, monolithic design
- · High class, easy-to-use remote control with backlight



1) Google, Android, Google Play and Google Home are trademarks of Google LLC. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Availability of Voice Assistant services varies depending on Country and Language. More information about set up procedures: https://aircon.panasonic.com/connectivity/application.html 2) 2,5 kW model. 3,5 kW model up to -20°C. 3) 2,5 kW model.



nanoe™ X: Improving protection 24/7

Provides a comfortable and clean air environment all year round

Winter

- \cdot Keeps the room warm and cleans the air all day long
- · 24-hour heating with the nanoeTM mode
- · Provides comfort as well as a cleaner environment.

Spring/Summer

- · Inhibits pollen and deodorises
- Turn ON the nanoe™ mode only with the nanoe™ mode
- · You can turn ON nanoe™ X even when you are out, so you can come home to clean air in your house.

Summer

- \cdot Cools and cleans the air when you are at home
- Cooling with the nanoe[™] mode
- · Enjoy a cleaner, comfortable space with loved ones.





Anytime, from anywhere, protection from the cold. With the Comfort Cloud App, you can remotely control air conditioning and check energy consumption in your summer house at anytime, from anywhere for extra convenience and comfort.

Before you arrive home. Turn ON the heating & nanoe™ X

Pre-heating keeps the room comfortable, and nanoeTM X inhibits pollen and deodorises.

Anytime. Check energy consumption

You can easily check your air to air heat pump's energy consumption.

When you're away, maintenance with the Summer House mode

Remotely turn ON low temperature heating to protect household equipment and items.

7 effects of nanoe™ X – Panasonic unique technology





Bringing nature's balance indoors

nanoe™ X, technology with the benefits of hydroxyl radicals

Abundant in nature, hydroxyl radicals (also known as OH radicals) have the capacity to inhibit pollutants, viruses, and bacteria to clean and deodorise. nanoe™ X, technology can bring these incredible benefits indoors so that hard surfaces, soft furnishings, and the indoor environment can be a cleaner and pleasant place to be.

What is unique about nanoe™ X?

Thanks to this advanced technology, even tightly woven fabrics can be treated using this solution, meaning that curtains, blinds, carpets and furniture can all benefit from this technology to inhibit hazardous substances – including on hard surfaces and, of course, the air that we breathe.



1 | Microscopic Scale. At one billionth of a metre, nanoe™ X is much smaller than steam and can deeply penetrate cloth fabrics to deodorise.



2 | Contained in tiny water particles, nanoe™ X has a longer lifespan to spread easily around the room.



3 | nanoe X Generator Mark 2 produces 9,6 trillion hydroxyl radicals per second. Greater amounts of hydroxyl radicals contained in nanoe™ X lead to higher performance on inhibition of pollutants.





4 | Effective on fabrics and surfaces. No maintenance, no replacement required. nanoe™ X is a filter free solution that does not require maintenance, as its atomisation electrode is enveloped with water during its generation process and it is made with Titatium.

nanoe™ X, internationallyvalidated technology in testing facilities

The effectiveness of nanoe™ X technology has been tested by 3rd party laboratories in France, Germany, Denmark, Malaysia and Japan.

Test results conducted under controlled laboratory conditions. Performance of nanoe™ X might differ in real life environment.

	Tested contents		Result	Capacity	Time	Testing organisation	Report No.
AIRBORNE	Virus	Bacteriophage Φ X174	99,7 % inhibited	Approx. 25 m ³	6 h	Kitasato Research Center for Environmental Science	24_0300_1
	Bacteria	Staphylococcus aureus	99,9 % inhibited	Approx. 25 m ³	4 h	Kitasato Research Center for Environmental Science	2016_0279
ADHERED	Virus	SARS-CoV-2	91,4 % inhibited	6.7 m³	8 h	Texcell (France)	1140-01 C3
		SARS-CoV-2	99,9 % inhibited	45 L	2 h	Texcell (France)	1140-01 A1
		Feline Coronavirus	99,3 % inhibited	45 L	2 h	Yamaguchi University Faculty of Agriculture	-
		Xenotropic murine leukemia virus	99,999 % inhibited	45 L	6 h	Charles River Biopharmaceutical Services GmbH	-
		Influenza (H1N1 subtype)	99,9 % inhibited	1 m³	2 h	Kitasato Research Center for Environmental Science	21_0084_1
		Bacteriophage	99,80% inhibited	25 m ³	8 h	Japan Food Research Laboratories	13001265005-01
	Bacteria	Staphylococcus aureus	99,9 % inhibited	20 m³	8 h	Danish Technological Institute	868988
	Pollen	Ambrosia pollen	99,4 % inhibited	20 m³	8 h	Danish Technological Institute	868988
		Cedar	97 % inhibited	Approx. 23 m ³	8 h	Panasonic Product Analysis Center	4AA33-151001-F01
	Odours	Cigarette smoke odour	Odour intensity reduced by 2,4 levels	Approx. 23 m ³	0,2 h	Panasonic Product Analysis Center	4AA33-160615-N04





Panasonic's nanoe™ X technology takes this a step further and brings nature's detergent – hydroxyl radicals – indoors to help create an ideal environment

Thanks to the nanoe™ X properties, several types of pollutants can be inhibited such as certain types of bacteria, viruses, mould, allergens, pollen and certain hazardous substances.



1 | nanoe™ X reliably reaches pollutants.



2 | Hydroxyl radicals denature pollutants' proteins.



3 | Pollutants activity is inhibited.

The nanoe™ X performance varies depending on the room size, environment and usage and it may take several hours to reach the full effect. nanoe™ X is not me'dical device, local regulations on building design and sanitary recommendations must be followed.



Hydroxyl radicals contained in water

Flagship specially designed for the tough Nordic climate

Thanks to its exceptional performance and reliability, it is one of the best-selling heat pumps in the Nordic region. Its efficiency helps to quickly reaches a comfortable indoor temperature and keeps A+++ class.

Maximum heating capacity of 3,60 kW at -25°C*

The HZ has exceptional maximum heating capacity even in low outdoor air temperature zones. What's more, even at low outdoor temperatures of -25°C, it delivers a maximum heating value that exceeds the nominal heating capacity. Heating capacity is reliable even at low outdoor temperatures.

Highly energy efficient for all your needs

Flagship provides an exceptional level of comfort in any setting with a low energy cost, creating a pleasant environment without high costs. The heat pump technology allows for a highly energy efficient solution to ensure optimal heating and comfort year-round.





R32 refrigerant environmental friendly

R32, an innovative refrigerant in all ways imaginable: it is easy to install, and compared to most other refrigerants it has a much lower environmental impact and saves energy.

The result? Greater wellbeing for people and for the planet.





Advanced smart control and voice assistant

Panasonic has dedicated time and resources to developing intelligent technology to improve the experience and offer a range of benefits. Flagship is compatible with Panasonic's Comfort Cloud app, which is designed to easily manage all system functions via your smart device.

Convenient Centralised Solutions

The Panasonic Comfort Cloud Application enables you to conveniently manage and monitor multiple air conditioning units for homes from just one mobile device.

Smart Control

- · Control multiple AC units in 1 location
- Control multiple units in multiple locations

Smart Comfort

- · Remotely access all AC features
- Activate 24-hour nanoe™ X
- Pre-cool spaces

Smart Efficiency

- · Analyse energy usage patterns
- · Compare usage history for better budget planning

Smart Assist

- · Effortless troubleshooting
- \cdot Assign other users while you are away





Through the Comfort Cloud app, Flagship units can also be connected to some of the leading voice assistants on the market to further optimise air conditioning standard without having to lift a finger.





* Google, Android, Google Play and Google Home are trademarks of Google LLC. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Availability of Voice Assistant services varies depending on Country and Language. More information about set up procedures: https://aircon.panasonic.com/connectivity/application.html.



Technology for the ultimate comfort

Introducing the Aerowings 2.0 to the Flagship range

Panasonic's Aerowings technology consists of two independent flexible vanes that concentrate airflow to heat or cool a room in the shortest time possible and helps distribute air evenly throughout a room.


Thanks to the larger sub vane (72mm), which is more than doubled in size than other conventional designs, the ability to lift airflow has been further improved.



For heating, Aerowings 2.0 releases a concentrated airflow downwards to achieve an effect similar to floor heating the air, which rises and fills the room.



Aerowings 2.0 has a new shower cooling feature which allows air flow to be concentrated evenly towards the ceiling to achieve comfortable cooling across a room, showering gently down into a room rather than one area subject to a continuous icy blast.





Super Quiet technology

With Super Quiet technology our devices are much more quiet than a library (18dB(A)).






Sleek design with easy-to-use remote controller

Panasonic has meticulously designed a new Flagship for a sleek and stylish solution to blend with any interior. Its elegant monolithic design is robust and allows for a high-performance air conditioner, with a large air discharge area to optimise performance.

Sleek design for optimal performance:


- \cdot Spatial fit and architectural impression achieved by end-to-end vane
- · Large air discharge area & vane size exudes higher performance
- \cdot Compact, narrow design fits neatly on the wall
- \cdot Simplified, clean surface presents a timeless design



The easy-to-use remote controller features an ergonomic design with tapered rear housing for the most comfortable grip. The new controller's intuitive design provides easy operation with five quick access keys for convenient use. The controller also has a minimalist design with the less frequently used keys concealed under a sliding cover.









	Panasonic

Maximum capacity		7,40 kW	7,83 kW					
Indoor unit		CS-HZ25XKE	CS-HZ35XKE					
Outdoor unit			CU-HZ25XKE	CU-HZ35XKE				
Heating capacity	Nominal (Min - Max)	kW	3,20 (0,85 - 7,50)	4,20(0,85-7,90)				
Heating capacity at -7	°C 1)	kW	5,00	5,12				
Heating capacity at -15	5 °C 1)	kW	4,78	5,00				
Heating capacity at -20) °C 1)	kW	4,20	4,30				
Heating capacity at -25	5 °C 1)	kW	3,60	3,70				
SCOP 2]			5,30 A+++	5,30 A+++				
Input power heating	Nominal (Min - Max)	kW	0,57(0,17-2,16)	0,84(0,17-2,25)				
Annual energy consum	ption ^{3]}	kWh/a	792	1057				
Cooling capacity	Nominal (Min - Max)	kW	2,50 (0,85 - 3,00)	3,50 (0,85 - 4,00)				
SEER 2)			8,70 A+++	8,50 A+++				
Input power cooling	Nominal (Min - Max)	kW	0,46(0,17-0,67)	0,80(0,17-0,99)				
Annual energy consum	ption ^{3]}	kWh/a	101	144				
Indoor unit								
C	Heat (Hi / Lo / Q-Lo)	dB(A)	45/24/18	45/25/18				
Sound pressure 4	Cool (Hi / Lo / Q-Lo)	dB(A)	44/25/20	44/28/20				
Dimension	HxWxD	mm	295 x 870 x 229	295 x 870 x 229				
Net weight		kg	11	11				
nanoe X Generator			Mark 2	Mark 2				
Outdoor unit								
Air flow	Heat / Cool	m³/min	32,7/32,7	34,4/34,4				
Sound pressure 4)	Heat — Cool (Hi / Lo)	dB(A)	47/44-46/43	50/47-48/45				
Dimension 5)	HxWxD	mm	622 x 824 x 299	622 x 824 x 299				
On anoting son so	Heat Min ~ Max	°C	-25~+24	-25~+24				
Operating range	Cool Min ~ Max	°C	+16~+43	+16~+43				

1) Capacity of the heat pump is tested with powerful mode with deice mode included. 2) SCOP and SEER values are Panasonic Factory official result, Energy Label Scale from A+++ to D. 3) The annual energy consumption is calculated in accordance to EU/626/2011. 4) The sound pressure of the indoor unit shows the value measured of a position of 1 m in front of the main body and 0.8 m below the unit. For outdoor unit 1 m in front and 1 m in rear side of main body. The sound pressure is measured in accordance with JIS C 9612. 0-Lo: Quiet mode. Lo: The lowest set fan speed. 5) Add 70 mm for piping port.

FLAGSHIP

Panasonic



To find out how Panasonic cares for you, log on to: www.aircon.panasonic.eu

Panasonic Marketing Europe GmbH Panasonic Air Conditioning Hagenauer Strasse 43, 65203 Wiesbaden, Germany